

BQA642 INTERSPEED 6400 BLUE

1 08/30/13

1.

1.1. INTERSPEED 6400 BLUE
 BQA642

1.2.

1.3.

International Paint Singapore Pte Ltd
3 Neythal Road
Jurong Town
Singapore 628570

1.4.

+65 6261 5033
+65 6264 4612
+65 6261 5033

2.

2.1. .
 3; H226
 - 4;H302
 - 4;H312
 - 4;H332
 /
2;H315
 1;H317
 -
1;H410

2.2.
11 , 12



H226
H302
H312
H315
H317
H332
H410

[]:

P210 / / / - .
P261 / /가 / / / .
P264
P270
P271 가
P272
P273
P280 / / / .

[]:

P301+312 : / .
P302+352 : .
P303+361+353 () : .
 /
P304+340 : 가
P321 () .
P322 () .
P330
P333+313 / .
P362
P363
P370 :
P378 , , , .
P391

[]:

P403+233 가

[]:

P501 () .

2.3. .
 PBT (,) vPvB (,) .

3.

/	%	GHS	
Copper oxide (Cu2O) CAS No: 0001317-39-1	20-30	- 4;H302 - 1;H400 - 1;H410	[1]
Zinc oxide CAS No: 0001314-13-2	20-30	- 1;H400 - 1;H410	[1][2]
xylene CAS No: 0001330-20-7	10-20	3; H226 - 4;H332 - 4;H312	[1][2]

		/ 2;H315	
Rosin CAS No: 0008050-09-7	10-20	1;H317	[1][2]
Zineb CAS No: 0012122-67-7	5-10	-1 ;H335 1;H317	[1]
Amorphous fumed silica CAS No: 0112945-52-5	1-2.5		[1]
Copper oxide CAS No: 0001317-38-0	1-2.5	- 4;H302 - 1;H400 - 1;H410	[1]

1)

2) 가

3) PBT vPvB
16

가 , 가

가 .

4.

4.1.

가

.

.

가

,

.

10

,

.

4.2. 가 /

4.3.

5. ,

5.1.

; , , , .

.

Note; 가

.

.

가

5.2.

가

:

5.3.

가

가

6.

6.1.

가

가

가 가

6.2.

가

6.3.

.8

가

. (13 .)

가

가

가

7.

7.1.

가

가

(LEL)

(OEL)

가

가

가

(LEL)

(OEL)

7.2.

(

)

:

,

,

.

, 8

가 , 가
61
가 , 1

7.3. Specific end use(s)

가
, 가 . 3

Hot surfaces, Sparks,

가 , (60% ,)

8.

8.1. ,
(OEL) (ACGIH)

	(ACGIH)			
	ppm	mg/m ³	ppm	mg/m ³
Titanium dioxide	-	-	-	10
xylene	150	651	100	434
Zinc oxide	-	-	-	10

(P) (Peak exposure limit)
(R)
(Sk)
(Sen)
(Cat 1)
(Cat 2) 가
(Cat 3)

DNEL/PNEC

8.2.
가

가 , (visor) .

(overall)

가 . 가

9.

pH

/ (°C)

(°C)

137

26

(= 1)

(,)

/

: 1.1 (xylene)

: 6.6 (xylene)

(Pa)

1.84

n- / (Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7)

가

10.3. 가

10.4.

.(7 .)

10.5.

10.6.

가 :

11.

(OEL)

,

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
Amorphous fumed silica - (112945-52-5)	3,160.00,			
Copper oxide - (1317-38-0)	470.00,			
Copper oxide (Cu2O) - (1317-39-1)	470.00,	2,000.00,		50.00,
Rosin - (8050-09-7)	7,600.00,	2,500.00,		
xylene - (1330-20-7)	4,299.00,	1,548.00,		20.00,
Zinc oxide - (1314-13-2)	5,000.00,			2.50,
Zineb - (12122-67-7)	2,000.00,	2,000.00,		5.00,

()	4	
()	4	
()	4	
/	2	
/		

	1	
(1)		
()		

12.

12.1. Dangerous Preparations Directive 1999/45/EC 가
, . (3 .)

가

	96 hr LC50 , mg/l	49 hr EC50 , mg/l	ErC50 , mg/l
Copper oxide (Cu2O) - (1317-39-1)	0.075, Danio rerio	0.042, Daphnia similis	0.03 (96 hr), Pseudokirchneriella subcapitata
Zinc oxide - (1314-13-2)	1.10, Oncorhynchus mykiss	0.098, Daphnia magna	0.042 (72 hr), Pseudokirchneriella subcapitata
xylene - (1330-20-7)	3.30, Oncorhynchus mykiss	8.50, Palaemonetes pugio	100.00 (72 hr), Chlorococcales
Rosin - (8050-09-7)	1.00, Danio rerio	10.00, Daphnia magna	100.00 (72 hr), Selenastrum capricornutum
Zineb - (12122-67-7)	7.20, Poecilia reticulata	0.97, Daphnia magna	0.5272 (96 hr), Chlorella pyrenoidosa
Amorphous fumed silica - (112945-52-5)			
Copper oxide - (1317-38-0)	25.40, Oncorhynchus mykiss	0.011, Daphnia magna	0.014 (72 hr), Pseudokirchneriella subcapitata

12.2. 가 .

12.3. .

12.4. .

12.5. , , 가
PBT (,) vPvB (,)

12.6. .

13.

13.1. .

14.

14.1. 1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG Class/Div. 3

EmS F-E,S-E

ICAO/IATA 3

14.4. III

14.5.

:

IMDG : (Copper(i)oxide)

14.6. 가 가

14.7. MARPOL73/78 Annex II IBC Code .

15.

None noted.

16.

This product complies with IMO Antifouling Systems Convention (AFS 2001).
Antifouling Type - Organotin-free conventional.

-
Dicopper oxide (1317-39-1)
Zineb (12122-67-7)

SDS

H226
H302
H312
H315
H317
H319
H332
H335
H336
H372
H400
H410

SDS



Akzo Nobel

가