

**FXA969 INTERSLEEK 970 BLACK PART A**

1

09/06/13

1.

1.1. INTERSLEEK 970 BLACK PART A  
FXA969

1.2.

1.3.

International Paint Singapore Pte Ltd  
3 Neythal Road  
Jurong Town  
Singapore 628570

+65 6261 5033

+65 6264 4612

1.4.

+65 6261 5033

2.

2.1. 3; H226

2.2. 11, 12



H226  
H316 가  
H402

[ ]:  
P210 / / /  
P273  
P280 / / /

[ ]:

P303+361+353 ( ) :

P312 /

P332+P313 Not Defined

P332+313 : /

P370 :

P378 , , ,

[ ]:

P403+233 가

[ ]:

P501 ( )

2.3. PBT ( ) vPvB ( )

3.

/	%	GHS	
xylene CAS No: 0001330-20-7	5-10	3; H226 - 4;H332 - 4;H312 / 2;H315	[1][2]
Iron(III) oxide CAS No: 0001317-61-9	2.5-5		[1]

- 1)
- 2) 가
- 3) PBT vPvB  
16 가 , 가  
가

4.

4.1.

가

가

4.2. 가 /

4.3.

5. ,

5.1.

; , , .

Note; 가

가

5.2.

가

:

5.3.

가

가

6.

6.1.

가 가 가 , 가

6.2.

가

6.3.

.8

, , 가 . (13 .)

가

가

, 가 , 가 ,

7.

7.1.

가

가 (LEL) (OEL)

가

가

가 (LEL) (OEL)

7.2. ( )

, 8

가 , 가  
가 , 1 가

7.3. Specific end use(s)

가 , 가 . 3

Hot surfaces, Sparks,

가 ( 60% , )

8.

8.1. , (OEL) (ACGIH)

(ACGIH)

	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
xylylene	150	651	100	434

(P) (Peak exposure limit)

(R)

(Sk)

(Sen)  
(Cat 1)  
(Cat 2)  
(Cat 3)

가

**DNEL/PNEC**

**8.2.**

가

가

(visor)

(overall)

가

가

.가

가

**9.**

**pH**

/ (°C)

(°C)

137  
45

( = 1)

( , )

/

: 1.1 ( xylene )

: 6.6 ( xylene )

(Pa)

1.02

n- / (Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7 )

10.3.

가 가

10.4.

.(7 .)

10.5.

10.6.

가

11.

(OEL)

가

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
Iron(III) oxide - (1317-61-9)	10,000.00,			
xylene - (1330-20-7)	4,299.00,	1,548.00,		20.00,

--	--	--

( )		
( )		
( )		
/		
/		
(1 )		
( )		

12.

12.1. 1999/45/EC 가 ,  
가

	96 hr LC50 , mg/l	49 hr EC50 , mg/l	ErC50 , mg/l
xylene - (1330-20-7)	3.30, Oncorhynchus mykiss	8.50, Palaemonetes pugio	100.00 (72 hr), Chlorococcales
Iron(III) oxide - (1317-61-9)	1,000.00, Leuciscus idus		

12.2. 가 .

12.3.

12.4.

12.5. , 가  
PBT ( , ) vPvB ( , )

12.6.

13.

13.1.  
가

14.

14.1. 1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG Class/Div. 3

EmS F-E,S-E

ICAO/IATA 3

14.4. III

14.5.

:

IMDG :

14.6. 가 가

14.7. MARPOL73/78 Annex II IBC Code .

15.

None noted.

16.

This product complies with IMO Antifouling Systems Convention (AFS 2001).  
Foul Release Coating Type - Biocide-free.

-

SDS

Section 3 Phrases

H226



H312

H315

H319

H332

H336

H372

**This SDS is valid for 5 years from the revised date on page 1.**



Akzo Nobel

가