

PRODUCT DESCRIPTION A water rinsable, non-flammable, acid/alkali free paint stripper.

INTENDED USES For quick stripping of all types of paint and varnish from metal, plaster or concrete.
Suitable for use on vertical and horizontal surfaces.

PRODUCT INFORMATION	Colour	GMA512
	Finish/Sheen	Not applicable
	Volume Solids	Not applicable
	Theoretical Coverage	5 m ² /litre, dependant upon substrate
	Method of Application	Brush

Drying Information

Overcoating Data - see limitations

Substrate Temperature

Note Drying and Overcoating Information are not applicable for this product.

REGULATORY DATA	VOC	Not applicable
------------------------	------------	----------------

**SYSTEMS AND
COMPATIBILITY**

Consult your International Paint representative for the system best suited for the surfaces to be protected.

SURFACE PREPARATIONS

Use in accordance with the standard Worldwide Marine Specifications.
All surfaces to be coated should be clean, dry and free from contamination.
High pressure fresh water wash or fresh water wash, as appropriate, and remove all oil or grease, soluble contaminants and other foreign matter in accordance with SSPC-SP1 solvent cleaning.

APPLICATION

Mixing	Not applicable
Thinner	Not applicable
Brush	Allow time for softening and wrinkling of the paint film to take place and then remove with a scraper or stripping knife. Wipe clean and wash with water and/or International GTA004 thinners/equipment cleaner. Repeat if necessary.
Cleaner	International WATER/GTA004

SAFETY

All work involving the application and use of this product should be performed in compliance with all relevant national Health, Safety & Environmental standards and regulations.

Prior to use, obtain, consult and follow the Material Safety Data Sheet for this product concerning health and safety information. Read and follow all precautionary notices on the Material Safety Data Sheet and container labels. If you do not fully understand these warnings and instructions or if you can not strictly comply with them, do not use this product. Proper ventilation and protective measures must be provided during application and drying to keep solvent vapour concentrations within safe limits and to protect against toxic or oxygen deficient hazards. Take precautions to avoid skin and eye contact (ie. gloves, goggles, face masks, barrier creams etc.) Actual safety measures are dependant on application methods and work environment.

EMERGENCY CONTACT NUMBERS:

USA/Canada - Medical Advisory Number 1-800-854-6813

Europe - Contact (44) 191 4696111. For advice to Doctors & Hospitals only contact (44) 207 6359191

R.O.W. - Contact Regional Office


LIMITATIONS

UNIT SIZE

UNIT SHIPPING WEIGHT

WORLDWIDE AVAILABILITY Consult International Paint.**IMPORTANT NOTE**

The information in this data sheet is not intended to be exhaustive; any person using the product for any purpose other than that specifically recommended in this data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at their own risk. All advice given or statements made about the product (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability at all for the performance of the product or for (subject to the maximum extent permitted by law) any loss or damage arising out of the use of the product. We hereby disclaim any warranties or representations, express or implied, by operation of law or otherwise, including, without limitation, any implied warranty of merchantability or fitness for a particular purpose. All products supplied and technical advice given are subject to our Conditions of Sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is liable to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to check with their local International Paint representative that this data sheet is current prior to using the product.

 **International** and product names mentioned in this data sheet are trademarks of, or are licensed to, AkzoNobel.

© AkzoNobel, 2010

www.international-marine.com