

BXA735 INTERSLEEK 737 RED PART A

3

08/30/13

1.

1.1. INTERSLEEK 737 RED PART A
BXA735

1.2.

1.3.

International Paint Singapore Pte Ltd
3 Neythal Road
Jurong Town
Singapore 628570

+65 6261 5033

+65 6264 4612

1.4.

+65 6261 5033

2.

2.1. 3; H226

2.2.
11 , 12



H226

[]:
P210 / / / - .
P280 / / / / .

[]:
P303+361+353 () :

P370 :

P378 , , , .

[]:

P403+233 가 .

[]:

P501 () .

2.3. .

PBT (,) vPvB (,) .

3.

/	%	GHS	
Methyl isoamyl ketone CAS No: 0000110-12-3	20-30	3; H226 - 4;H332	[1][2]
Cyclotetrasiloxane, octamethyl- CAS No: 0000556-67-2	<1	2;H361f - 4;H413	[1]

1)

2) 가

3) PBT vPvB
16

가 , 가
가 .

4.

4.1.

가

가 , .

10 , .

4.2. 가 /

4.3.

5. ,

5.1.

; , , , .
.

Note; 가 .

가 .

5.2.

, , , 가 :
.

5.3.

가 .
가 .

6.

6.1.

가 가 가 , 가
가 가

6.2.

가 .

6.3.

.8 .

, , 가 . (13 .)

가 .

가 .

, 가 , 가 . ,
가 .

7.

7.1.

가 .

, 가 (LEL) (OEL)

가 .

가

가 (LEL)

(OEL)

7.2. ()

, 8

가 , 가
가 , 1 가

7.3. Specific end use(s)

가

, 가 . 3

Hot surfaces, Sparks,

가 (60% ,)

8.

8.1.

(OEL)

(ACGIH)

(ACGIH)

	ppm	mg/m ³	ppm	mg/m ³
Barium Sulphate	-	-	-	10
Iron oxide	-	-	-	5
Methyl isoamyl ketone	-	-	50	234
Titanium dioxide	-	-	-	10

(P) (Peak exposure limit)

(R)

(Sk)

(Sen)

(Cat 1)
(Cat 2)
(Cat 3)

가

DNEL/PNEC

8.2.

가

가

(visor)

(overall)

가

가

가

가

9.

pH

/ (°C)

(°C)

116

36

(= 1)

(,)

/

: 1.05 (Methyl isoamyl ketone)

:

(Pa)

1.60

9.2.

10.

10.1.

10.2.

.(Section 7)

가

10.3. 가

10.4.

.(7 .)

10.5.

10.6.

가

11.

(OEL)

가

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
Cyclotetrasiloxane, octamethyl- - (556-67-2)	2,000.00,	4,640.00,	36.00,	
Methyl isoamyl ketone - (110-12-3)	3,200.00,	8,110.00,		

()		

()		
()		
/		
/		
(1)		
()		

12.

12.1. 1999/45/EC 가 ,
 가

	96 hr LC50 mg/l ,	49 hr EC50 mg/l ,	ErC50 mg/l ,
Methyl isoamyl ketone - (110-12-3)	159.00, Pimephales promelas	560.00, Daphnia magna	920.00 (72 hr), Chlorococcales
Cyclotetrasiloxane, octamethyl- - (556-67-2)	200.00, Leuciscus idus	25.20, Daphnia magna	

12.2. 가

12.3.

12.4.

12.5. , 가
 PBT (,) vPvB (,)

12.6.

13.

13.1. 가

14.

14.1. 1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG Class/Div. 3

EmS F-E,S-E

ICAO/IATA 3

14.4. III

14.5.

:

IMDG :

14.6. 가 가

14.7. MARPOL73/78 Annex II IBC Code .

15.

None noted.

16.

This product complies with IMO Antifouling Systems Convention (AFS 2001).
Foul Release Coating Type - Biocide-free.

()

SDS

Section 3 Phrases

H226

H332

This SDS is valid for 5 years from the revised date on page 1.



Akzo Nobel

가