Safety Data Sheet INTERPLATE ZERO PART A

Bulk Sales Reference No.:

SDS Revision Date:

SDS Revision Number:

Sales Order: {SalesOrd} ZER010 03/27/2015 A2-2

XInternational.

1. Identification	of the preparation and company
1.1. Product identifier	
Product Identity	INTERPLATE ZERO PART A
Bulk Sales Reference No.	ZER010
1.2. Relevant identified uses of the substance	or mixture and uses advised against
Intended Use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data s	heet
Company Name	International Paint LLC
	6001 Antoine Drive
	Houston, Texas 77091
Emergency	
CHEMTREC (USA)	(800) 424-9300
International Paint	(713) 682-1711
Poison Control Center	(800) 854-6813
Customer Service	
International Paint	(800) 589-1267
Fax No.	(800) 631-7481
2. Hazard	identification of the product
	·

2.1. Classification of the substance or mixture

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

ΗМ	IS	Rating

Health: 1

Flammability: 0

Reactivity: 0

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Silica, amorphous CAS Number: 0007631-86-9	10 - 25		[1][2]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

ZER010 A2

	4. First aid measures				
4.1. Description of fi	ret aid measures				
General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.				
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.				
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.				
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.				
Ingestion	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.				
4.2. Most important	symptoms and effects, both acute and delayed				
Overview	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.				
Inhalation	Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.				
Eyes	Causes severe eye irritation. Avoid contact with eyes.				
Skin	Causes skin irritation. May be harmful if absorbed through the skin.				
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.				
Chronic effects					

5. Fire-fighting measures

5.1. Extinguishing media

SMALL FIRES: Use dry chemical, CO2, water spray or foam. LARGE FIRES: Use water spray, fog, or foam. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material.

5.2. Special hazards arising from the substance or mixture

Material may burn but does not ignite readily. Fire may produce irritating, corrosive and/or toxic gases. Containers may explode when heated.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses. ERG Guide No. 159

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. LARGE SPILLS: Dike far ahead of liquid spill to contain released material and runoff from fire control.

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

6.3. Methods and material for containment and cleaning up

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

7. Handling and storage

7.1. Precautions for safe handling Handling

Vapors may cause flash fire or ignite explosively.

In Storage Keep away from heat, sparks and flame.

7.2. Conditions for safe storage, including any incompatibilities

Store between 40-100F (4-38C).

Avoid contact with eyes and clothing. Avoid prolonged or repeated contact with skin.

Strong oxidizing agents.

Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone.

7.3. Specific end use(s)

Close container after each use.

Wash thoroughly after handling.

Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

8.1. Control parameters

CAS No.	Ingredient	Source	Value
0007631-86-9	Silica, amorphous	OSHA	
		ACGIH	
		NIOSH	6 mg/m3 TWA3000 mg/m3 IDLH
		Supplier	
		OHSA, CAN	
		Mexico	
		Brazil	

Health Data				
CAS No.	Ingredient	Source	Value	
0007631-86-9	Silica, amorphous	NIOSH		

Carcinogen Data					
CAS No. Ingredient Source Value					
0007631-86-9	Silica, amorphous	OSHA Select Carcinogen: No			
		NTP Known: No; Suspected: No			
			Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;		

8.2. Exposure controls

Respiratory	Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes	Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be

required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.

Engineering Controls Depen Other Work Practices Emerg

Depending on the site-specific conditions of use, provide adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

9. Physical and chemical properties

Appearance	Coloured Liquid
Odour threshold	Not Measured
pH	10
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	100 (°C) 212 (°F)
Flash Point	
	No Established Limit (°C) No Established Limit(°F)
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: No Established Limit
	Upper Explosive Limit: No Established Limit
vapor pressure (Pa)	Not Measured
Vapor Density	Heavier than air
Specific Gravity	1.09
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	No Established Limit Not Measured
VOC %	Refer to the Technical Data Sheet or label where information is available.

10. Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Material may burn but does not ignite readily. Fire may produce irritating, corrosive and/or toxic gases. Containers may explode when heated.

11. Toxicological information

Acute toxicity

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Ingredient	Oral LD50,	Skin LD50,	Inhalation	Inhalation
	mg/kg	mg/kg	Vapor LD50,	Dust/Mist LD50,

			mg/L/4hr	mg/L/4hr
Silica, amorphous - (7631-86-9)	5,110.00, Rat - Category: NA	5,000.00, Rabbit - Category: 5	No data available	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	Not Classified	Not Applicable
Acute Toxicity (skin)	Not Classified	Not Applicable
Acute Toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	Not Classified	Not Applicable
Eye damage/irritation	Not Classified	Not Applicable
Sensitization (respiratory)	Not Classified	Not Applicable
Sensitization (skin)	Not Classified	Not Applicable
Germ toxicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive Toxicity	Not Classified	Not Applicable
Specific target organ systemic toxicity (single exposure)	Not Classified	Not Applicable
Specific target organ systemic Toxicity (repeated exposure)	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Silica, amorphous -	10,000.00, Danio	10,000.00, Daphnia	
(7631-86-9)	rerio	magna	10,000.00 (72 hr), Scenedesmus subspicatus

12.2. Persistence and degradability
No data available
12.3. Bioaccumulative potential
Not Measured
12.4. Mobility in soil
No data available
12.5. Results of PBT and vPvB assessment
This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects
No data available

13. Disposal considerations

13.1. Waste treatment methods

Do not allow spills to enter drains or watercourses.

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. Transport information

14.1. UN number				
	Not Regul	ated		
14.2. UN proper shipping na	me Not Regul	ated		
14.3. Transport hazard class	-			
DOT (Demostic Surface	Transportation		on Trononortation)	
DOT (Domestic Surface Transportation) DOT Proper Shipping Not Regulated		,	IMO / IMDG (Ocean Transportation)	
Name	Not Regulated	IMDG Proper Shipping Name	Not Regulated	
DOT Hazard Class	Not Regulated	IMDG Hazard Class Sub Class	Not Regulated Not applicable	
UN / NA Number	Not Regulated			
DOT Packing Group	Not Regulated	IMDG Packing Grou		
CERCLA/DOT RQ	Not Applicable gal. / Not Applicable lbs.	System Reference Code	9	
14.4. Packing group	Not Regul	ated		
14.5. Environmental hazards	3			
IMDG Marine Pollu	utant: No			
14.6. Special precautions for	ruser			
Not Applical				
14.7. Transport in bulk accor	•	OL73/78 and the IBC Code		
Not Applical	ble			
	15. Regulato	ry information		
	entory.			
WHMIS Classification Not	Regulated			
DOT Marine Pollutants (10%) (No Product Ingredien	5): ts Listed)			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien	b): ts Listed) nts (1%): ts Listed)			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien	b): tts Listed) hts (1%): tts Listed) and RQs (>.1%): tts Listed)			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien	b): its Listed) its Listed) and RQs (>.1%) : its Listed) ardous (>.1%) : its Listed)			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien	5): its Listed) its Listed) and RQs (>.1%) : its Listed) ardous (>.1%) : its Listed) s (>.1%) : its Listed)			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1%	5): its Listed) its Listed) and RQs (>.1%) : its Listed) ardous (>.1%) : its Listed) s (>.1%) : its Listed)			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous	5): tts Listed) nts (1%): tts Listed) and RQs (>.1%) : tts Listed) ardous (>.1%) : tts Listed) s (>.1%) : tts Listed) 6) :			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1%	5): tts Listed) nts (1%): tts Listed) and RQs (>.1%) : tts Listed) ardous (>.1%) : tts Listed) s (>.1%) : tts Listed) 6) :			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Su	 and RQs (>.1%): ts Listed) and RQs (>.1%): ts Listed) ardous (>.1%): ts Listed) s (>.1%): ts Listed) its Listed) (>.1%): (>.1%):			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Su (No Product Ingredien	 and RQs (>.1%): tts Listed) and RQs (>.1%): tts Listed) ardous (>.1%): tts Listed) s (>.1%): tts Listed) b): bstances (>.01%): tts Listed) 			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Su (No Product Ingredien RCRA Status: (No Product Ingredien N.J. RTK Substances (>1%)	 b): b):			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Su (No Product Ingredien RCRA Status: (No Product Ingredien N.J. RTK Substances (>1%) Silica, amorphous N.J. Special Hazardous Sub	 b): ts Listed) nts (1%): ts Listed) and RQs (>.1%) : tts Listed) ardous (>.1%) : tts Listed) s (>.1%) : tts Listed) bstances (>.01%) : ts Listed) : stances (>.01%) : 			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Su (No Product Ingredien RCRA Status: (No Product Ingredien N.J. RTK Substances (>1%)	 b): ts Listed) nts (1%): ts Listed) and RQs (>.1%) : ts Listed) ardous (>.1%) : ts Listed) s (>.1%) : ts Listed) bstances (>.01%) : ts Listed) 			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Su (No Product Ingredien RCRA Status: (No Product Ingredien N.J. RTK Substances (>1%) Silica, amorphous N.J. Special Hazardous Sub (No Product Ingredien	 b): ts Listed) nts (1%): ts Listed) and RQs (>.1%) : ts Listed) ardous (>.1%) : ts Listed) s (>.1%) : ts Listed) bstances (>.01%) : ts Listed) ts Listed) ts Listed) : stances (>.01%) : ts Listed) : stances (>.01%) : ts Listed) : 			
DOT Marine Pollutants (10% (No Product Ingredien DOT Severe Marine Pollutar (No Product Ingredien EPCRA 311/312 Chemicals (No Product Ingredien EPCRA 302 Extremely Haza (No Product Ingredien EPCRA 313 Toxic Chemical (No Product Ingredien Mass RTK Substances (>1% Silica, amorphous Penn RTK Substances (>1% Silica, amorphous Penn Special Hazardous Sul (No Product Ingredien RCRA Status: (No Product Ingredien N.J. RTK Substances (>1%) Silica, amorphous N.J. Special Hazardous Sub (No Product Ingredien N.J. Env. Hazardous Substa (No Product Ingredien N.J. Env. Hazardous Substa (No Product Ingredien N.J. Env. Hazardous Substa (No Product Ingredien Proposition 65 - Carcinogens	 a): b): ts Listed) and RQs (>.1%): ts Listed) ardous (>.1%): ts Listed) ardous (>.1%): ts Listed) s (>.1%): ts Listed) bstances (>.01%): ts Listed) s (>0%): ts Listed) 			

Proposition 65 - Developmental Toxins (>0%): (No Product Ingredients Listed)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

The following sections have changed since the previous revision.

End of Document