

**BXA736 INTERSLEEK 737 PINK PART A**

4

08/30/13

1.

1.1. INTERSLEEK 737 PINK PART A  
BXA736

1.2.

1.3.

International Paint Singapore Pte Ltd  
3 Neythal Road  
Jurong Town  
Singapore 628570

+65 6261 5033

+65 6264 4612

1.4.

+65 6261 5033

2.

2.1. 3; H226

2.2. 11, 12



H226

[ ]:  
P210 / / /

P280 / / /

[ ]:  
P303+361+353 ( ) :

P370 :

P378 , , , .

[ ]:

P403+233 가 .

[ ]:

P501 ( ) .

2.3. .

PBT ( , ) vPvB ( , ) .

3.

/	%	GHS	
Methyl isoamyl ketone CAS No: 0000110-12-3	20-30	3; H226 - 4;H332	[1][2]
Amorphous Silica CAS No: 0007631-86-9	1-2.5		[1]
Cyclotetrasiloxane, octamethyl- CAS No: 0000556-67-2	<1	2;H361f - 4;H413	[1]

1)

2) 가

3) PBT vPvB  
16

가 , 가  
가 .

4.

4.1.

가

가 ,

10 ,

4.2. 가 /

4.3.

5.

5.1.

;

Note; 가

가

5.2.

가

5.3.

가

가

6.

6.1.

가 가 가 가

6.2.

가

6.3.

.8

, , 가 . (13 .)

가

가

, 가 , 가

7.

7.1.

가

, 가 (LEL) (OEL)

가

가

가 (LEL)

(OEL)

7.2. ( )

, 8

가 , 가 , 1 가

7.3. Specific end use(s)

가 , 가 . 3

Hot surfaces, Sparks,

가 ( 60% , )

8.

8.1. (OEL) (ACGIH)

(ACGIH)

	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Barium Sulphate	-	-	-	10
Methyl isoamyl ketone	-	-	50	234
Titanium dioxide	-	-	-	10

(P) (Peak exposure limit)

(R)

(Sk)

(Sen)

(Cat 1)

(Cat 2)  
(Cat 3)

가

**DNEL/PNEC**

**8.2.**

가

가

(visor)

(overall)

가

가

.가

가

**9.**

**pH**

/ (°C)

(°C)

116

36

( = 1)

( , )

/

: 1.05 ( Methyl isoamyl ketone )

:

(Pa)

1.57

n-

/

(Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7 )

가

10.3.

가

10.4.

.(7 .)

10.5.

10.6.

가

11.

(OEL)

가

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
Amorphous Silica - (7631-86-9)	5,110.00,	5,000.00,		
Cyclotetrasiloxane, octamethyl- - (556-67-2)	2,000.00,	4,640.00,	36.00,	
Methyl isoamyl ketone - (110-12-3)	3,200.00,	8,110.00,		

( )		

( )		
( )		
/		
/		
(1 )		
( )		

**12.**

**12.1.** 1999/45/EC 가 ,  
가

	96 hr LC50 mg/l ,	49 hr EC50 mg/l ,	ErC50 mg/l ,
Methyl isoamyl ketone - (110-12-3)	159.00, Pimephales promelas	560.00, Daphnia magna	920.00 (72 hr), Chlorococcales
Amorphous Silica - (7631-86-9)	10,000.00, Danio rerio	10,000.00, Daphnia magna	10,000.00 (72 hr), Scenedesmus subspicatus
Cyclotetrasiloxane, octamethyl- - (556-67-2)	200.00, Leuciscus idus	25.20, Daphnia magna	

**12.2.** 가

**12.3.**

**12.4.**

**12.5.** , 가  
PBT ( , ) vPvB ( , )

**12.6.**

**13.**

**13.1.**  
가

14.

14.1. 1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG Class/Div. 3

EmS F-E,S-E

ICAO/IATA 3

14.4. III

14.5.

:

IMDG :

14.6. 가 가

14.7. MARPOL73/78 Annex II IBC Code .

15.

None noted.

16.

This product complies with IMO Antifouling Systems Convention (AFS 2001).  
Foul Release Coating Type - Biocide-free.

-

SDS

Section 3 Phrases

H226



**This SDS is valid for 5 years from the revised date on page 1.**



Akzo Nobel

가