X.International.

Safety Data Sheet

PHA280 INTERTHANE 5013 NSP HP YEW PART A

Version No. 1 Revision Date 11/09/13

1. Product and company identification

| INTERTHANE 5013 NSP HP YEW PART A | | |
|---|--|--|
| PHA280 | | |
| substance or mixture and uses advised against | | |
| Refer Technical Data Sheet. | | |
| For professional use only. | | |
| Refer Technical Data Sheet. | | |
| fety data sheet | | |
| International Paint Sdn Bhd | | |
| Lot 1 & 2, Jalan Gangsa | | |
| Pasir Gudang | | |
| 81700 | | |
| Malaysia | | |
| | | |
| | | |

| Telephone No. | (07) 254 1128 |
|---------------------------------|--|
| Fax No. | (07) 251 4775 |
| 1.4. Emergency telephone number | (07) 254 1126 |
| For Poisons Advice telephone | For Advice to Doctors & Hospitals only |

2. Hazard identification of the product

2.1. Classification of the substance or mixture

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

[Prevention]: [Response]: [Storage]: [Disposal]: 2.3. Other hazards

3. Composition/information on ingredients

This product contains the following hazardous substances.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|----------------------------------|----------|--------------------|-------|
| | | | |

| Silica (quartz) CAS Number: 0014808-60-7 | 10-25 | Acute Tox. 4;H332 STOT RE 2;H373 | [1][2] |
|---|--------|--|--------|
| Solvent naphtha (petroleum), light aromatic CAS Number: 0064742-95-6 | 10-25 | Asp. Tox. 1;H304 | [1] |
| Castor oil CAS Number: 0008001-79-4 | 2.5-10 | | [1] |
| Cyclohexanone CAS Number: 0000108-94-1 | 2.5-10 | Flam. Liq. 3;H226 Acute Tox. 4;H332 | [1][2] |
| Lead chromate C.I. Yellow 34 CAS Number: 0001344-37-2 | 2.5-10 | Carc. 1B;H350 Repr. 1A;H360Df STOT RE 2;H373 Aquatic Acute 1;H400 Aquatic Chronic 1;H410 | [1] |
| Titanium dioxide CAS Number: 0013463-67-7 | 1-2.5 | | [1][2] |
| Zeolite CAS Number: 0001318-02-1 | 1-2.5 | | [1] |

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the Hazard (H) phrases are shown in Section 16.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence do not require reporting in this section.

4. First aid measures

4.1. Description of first aid measures

General

Inhalation

Skin Contact

Eye Contact

Ingestion

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

5.3. Advice for fire-fighters

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

7. Handling and storage

7.1. Precautions for safe handling Handling

In Storage

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

8. Exposure controls and personal protection

8.1. Control parameters

Exposure standards are those provided by the ACGIH (American Conference of Government Industrial Hygenists).

| Material | Short term (15 min. ave) | | Long term (8hr time weighted average) | | Comments |
|---------------------|--------------------------|-------|---------------------------------------|-------|----------|
| | ppm | mg/m³ | ppm | mg/M3 | |
| Calcium carbonate | - | - | - | 10 | |
| Cyclohexanone | - | - | 25 | 100 | |
| Silica (quartz) | - | - | - | 0.1 | |
| Talc | - | - | - | 2 | |
| Titanium dioxide | - | - | - | 10 | |
| Koy to notification | | | | | |

Key to notification

(P) Peak exposure limit

(R) Suppliers Recommended Limit

(Sk) There is a risk of absorption through unbroken skin

(Sen) Sensitiser

(Cat1) Category 1 - established human carcinogen

(Cat2) Category 2 - probable human carcinogen

(Cat3) Category 3 - substances suspected of having carcinogenic potential

DNEL/PNEC values

8.2. Exposure controls

Eye Protection

Skin Protection

Other

Respiratory Protection

Thermal hazards

9. Physical and chemical properties

Colour Odour **Odour threshold** pН Melting point / freezing point (°C) Initial boiling point and boiling range (°C) Flash Point (C) Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits Lower Explosive Limit: 1.1 (Cyclohexanone)

Upper Explosive Limit: 7 (Solvent naphtha (petroleum), light aromatic)

Vapour pressure (Pa) Vapour Density **Specific Gravity** Solubility in Water Partition coefficient n-octanol/water (Log Kow) Autoignition temperature () **Decomposition temperature** Viscosity (cSt)

0.00

9.2. Other information

No further information

10. Stability and reactivity

- 10.1. Reactivity
- 10.2. Chemical stability
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- **10.6. Hazardous decomposition products**

11. Toxicological information

Acute toxicity

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapour LD50, mg/L/4hr | Inhalation Dust/Mist LD50, mg/L/4hr |
|---|---------------------|---------------------|--|---|
| Castor oil - (8001-79-4) | Not Available | Not Available | Not Available | Not Available |
| Cyclohexanone - (108-94-1) | 1,400.00, Mouse | 948.00, Rabbit | 10.70, Rat | Not Available |
| Lead chromate C.I. Yellow 34 - (1344- 37-2) | 5,000.00, Rat | Not Available | Not Available | Not Available |
| Silica (quartz) - (14808-60-7) | Not Available | Not Available | Not Available | Not Available |
| Solvent naphtha (petroleum), light aromatic - (64742-95-6) | 6,800.00, Rat | 3,400.00, Rabbit | Not Available | Not Available |
| Titanium dioxide - (13463-67-7) | 10,000.00, Rat | 10,000.00, Rabbit | Not Available | 6.82, Rat |
| Zeolite - (1318-02-1) | 5,110.00, Rat | 2,000.00, Rabbit | Not Available | 5.00, Rat |

| Item | Category | Hazard |
|---|----------------|----------------|
| Acute Toxicity (mouth) | Not Classified | Not Applicable |
| Acute Toxicity (skin) | Not Classified | Not Applicable |
| Acute Toxicity (inhalation) | Not Classified | Not Applicable |
| Skin corrosion/irritation | Not Classified | Not Applicable |
| Eye damage/irritation | Not Classified | Not Applicable |
| Sensitization (respiratory) | Not Classified | Not Applicable |
| Sensitization (skin) | Not Classified | Not Applicable |
| Germ toxicity | Not Classified | Not Applicable |
| Carcinogenicity | Not Classified | Not Applicable |
| Reproductive Toxicity | Not Classified | Not Applicable |
| Specific target organ systemic toxicity (single exposure) | Not Classified | Not Applicable |
| Specific target organ systemic Toxicity (repeated exposure) | Not Classified | Not Applicable |
| Aspiration hazard | Not Classified | Not Applicable |

12. Ecological information

12.1. Toxicity

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|---|------------------------------------|-------------------------------|--|
| Silica (quartz) - (14808-60-7) | Not Available | Not Available | Not Available |
| Solvent naphtha (petroleum), light aromatic - (64742-95-6) | 9.22, Oncorhynchus mykiss | 6.14, Daphnia magna | 19.00 (72 hr), Selenastrum capricornutum |
| Castor oil - (8001-79-4) | Not Available | Not Available | Not Available |
| Cyclohexanone - (108-94-1) | 527.00, Pimephales promelas | 820.00, Daphnia magna | 32.90 (72 hr), Chlamydomonas reinhardtii |
| Lead chromate C.I. Yellow 34 - (1344-37-2) | 10,000.00, Leuciscus idus | Not Available | Not Available |
| Titanium dioxide - (13463-67-7) | 1,000.00, Fundulus heteroclitus | 5.50, Daphnia magna | 5.83 (72 hr), Pseudokirchneriella subcapitata |
| Zeolite - (1318-02-1) | 1,800.00, Danio rerio | 1,000.00, Daphnia magna | 560.00 (96 hr), Chlorella vulgaris |

12.2. Persistence and degradability

- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil

Г

- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

14.1. UN number

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)

Road and Rail Transport

| IMDG reference : | Class/Div | Sub Class | | |
|--|-----------|-----------|--|--|
| | Ems | | | |
| ICAO/IATA | Class | Sub Class | | |
| 14.4. Packing group | | | | |
| 14.5. Environmental hazards | | | | |
| Bead and Bail Environmentally Hazardaya | | | | |

Road and Rail Environmentally Hazardous: Transport

IMDG Marine Pollutant: reference :

14.6. Special precautions for user

No further information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not Applicable

15. Regulatory information

The product and all its components complies with these local regulations: NICNAS - Australia EPA - New Zealand

16. Other information

The information on this SDS is based upon the present state of our knowledge and on current law. The product should not be used for purposes other than shown in the product data sheet without first obtaining written advice.

It is always the responsibility of the user to take all necessary steps to meet the demands of applicable legislation.

The information in this Safety Data Sheet is required according to legislation.

The full text of the phrases appearing in section 3 is:

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H360 May damage fertility or the unborn child.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.

akan maklumat yang tepat dan/atau mencukupi.

- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

This SDS is valid for 5 years from the revised date on page 1. The revision date is in American format (e.g. MM/DD/YY).

End of document

All information concerning this product and/or suggesti ons for handling and use contained herein are offered in good faith and are believed to be reliable.



Akzo Nobel however makes no warranty as to the accuracy of and/or sufficiency of such information. Semua maklumat berkenaan produk ini dan/atau cadangan untuk pengendalian dan penggunaan yang terkandung di sini adalah benar dan boleh dipercayai. Walau bagaimanapun, Akzo Nobel tidak memberi jaminan