Material Safety Data Sheet INTERCRYL 530WB DEEP BASE

Bulk Sales Reference No.: MSDS Revision Date: MSDS Revision Number:

Sales Order: {SalesOrd} 53050 07/28/2008 A7–3

X.International.

1. Identif	ication of the preparation and company		
Product Identity	INTERCRYL 530WB DEEP BASE		
Bulk Sales Reference No.	53050		
Company Name	International Paint LLC		
	6001 Antoine Drive		
	Houston Texas 77091		
Emergency			
CHEMTREC (USA)	(800) 424–9300		
International Paint	(713) 527–3887		
Poison Control Center	(800) 854–6813		
Customer Service			
International Paint	(800) 589–1267		
Interlux	(800) 631–7481		

2. Hazard identification of the product

GHS Classification;

and olassilloulon,		
Item	Category	Hazard
Flammability	Not classified	Not applicable
Acute Toxicity (mouth)	Not classified	Not applicable
Acute Toxicity (skin)	Not classified	Not applicable
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	Not classified	Not applicable
Germ toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	Not applicable
	2	Not applicable
	3	respiratory tract irritation
Specific target organ systemic Toxicity (repeated exposure)	1	lung
	2	Not applicable
Aspiration hazard	Not classified	Not applicable
Harmfulness to aquatic Environment (acute)	Not classified	Not applicable
Harmfulness to aquatic Environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive Toxicity	Not classified	Not applicable
Organic Peroxide	Not classified	Not applicable

Safety Phrases:	Not Applicable				
Overview	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.				
Inhalation	Harmful if inhaled. Causes no nervous system causing dizz				
Eyes	Causes severe eye irritation.	Avoid contact with eyes.			
Skin	Causes skin irritation. May be	e harmful if absorbed throug	h the skin.		
Ingestion	Harmful if swallowed. May ca drowsiness.	ause abdominal pain, nause	a, vomiting, diarrhea, or		
Chronic effects	Possible cancer hazard. Con animal data (See Section 2 a depends on duration and leve	and Section 15 for each ingre			
HMIS Rating	Health: 2	Flammability: 1	Reactivity: 0		
	3. Composition/info	ormation on ingredients			
Ingredient		CAS No.	Percent		
Titanium dioxide		013463-67-7	1.0 – 10		
2,2,4-Trimethylpentane	e-1,3-diol monoisobutyrate	025265-77-4	1.0 – 10		
	4. First a	id measures			
General		ted clothing and shoes. Get clothing before reuse. Thores.			
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.				
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.				
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.				
Ingestion	If swallowed, immediately contact Poison Control Center at 1–800–854–6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.				
	5. Fire–figh	nting measures			
Flash Point	Flash Point F: No Established Limit C: No Established Limit				
Lower Explosive Limit (ERG Guide No.	LEL) .62 (%vol in air) a 159	at Normal Atmospheric Tem	p and Pressure		
	6. Accidental	release measures			
Spill Response Procedures					
Public Safety	CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.				
ERG Guide No. 159					

7. Handling and storage

Storage Temperature Handling and Storage Precautions

Store between 32 and 120 F

Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation. Avoid contact with eyes and clothing. Avoid prolonged or repeated contact with skin. Close container after each use. Wash thoroughly after handling.

8. Exposure controls and personal protection					
Exposure					
CAS No.	CAS No. Ingredient Source Value				
013463–67–7	Titanium dioxide	OSHA	15 mg/m3 TWA (total dust)		
		ACGIH	10 mg/m3 TWA		
		NIOSH	5000 mg/m3 IDLH		
		Supplier	No Established Limit		
		OHSA, CAN	10 mg/m3 TWAEV (total dust)		
		Mexico	10 mg/m3 TWA (as Ti)20 mg/m3 STEL (as Ti)		
		Brazil	No Established Limit		
025265-77-4	025265-77-4 2,2,4-Trimethylpentane-1,3-dio	OSHA	No Established Limit		
	monoisobutyrate	ACGIH	No Established Limit		
		NIOSH	No Established Limit		
		Supplier	No Established Limit		
		OHSA, CAN	No Established Limit		
		Mexico	No Established Limit		
		Brazil	No Established Limit		

Health Data				
CAS No.	Ingredient	Source	Value	
013463–67–7	Titanium dioxide	NIOSH	Lung tumors in animals	
	2,2,4–Trimethylpentane–1,3–diol monoisobutyrate	NIOSH	No Established Limit	

Caralina man Data

CAS No.	Ingredient	Source	Value
013463–67–7 Titanium dioxide		OSHA	Select Carcinogen: Yes
		NTP	Known: No; Suspected: No
			Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
025265-77-4 2,2,4-Trimethylpentane-1,3-diol		OSHA	Select Carcinogen: No
mor	monoisobutyrate	NTP	Known: No; Suspected: No
			Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Respiratory
Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1–800–243–4630, in Canada call 1–800–267–4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes

Eyes Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles,

	and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls	Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.
Other Work Practices	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

	9. Physical and chemical properties			
Physical State	Liquid			
рH	8.5			
Specific Gravity	1.08			
Boiling Point F	212			
Vapor Density	Heavier than air			
VOC %	Refer to the Technical Data Sheet for this product			
Evaporation Rate	ation Rate Slower than ether			
I				
	10. Stability and reactivity			
General	This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.			
Incompatible Materials	Strong oxidizing agents.			
Hazardous Decompostion	May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.			

11. Toxicological information					
Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr		
Titanium dioxide – (013463–67–7)	10,000.00, Rat – Category: NA	10,000.00, Rabitt – Category: NA	6,082.00, Rat – Category: NA		
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate - (025265-77-4)	3,200.00, Rat – Category: 5	15,200.00, Rat – Category: NA			

General NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Sections 8 and 11 for chemical specific data.

12. Ecological information

No additional information provided for this product. See Sections 8 and 11 for chemical specific data.

13. Disposal considerations

14. Transport information

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

DOT (Domestic Surface Transportation)

IMO / IMDG (Ocean Transportation)

DOT Proper Shipping Name	PAINT OR PAINT RELATED MATERIAL, NMFC 149980		IMDG Proper Shipping Name	PAINT OR PAINT RELATED MATERIAL, NMFC 149980		
DOT Hazard Class	NR		IMDG Hazard Class	Not Regulated		
UN / NA Number	Not Regulated		UN / NA Number	Not Regulated		
DOT Packing Group	Not Regulated		IMDG Packing Group	Not Regulated		
CERCLA/DOT RQ	10099 gal. / 90909 lbs.		System Reference	9		
	10099 gai. / 90909 lbs.		Code	5		
	15. Re	egulatory info	rmation			
Regulatory Overview	Regulatory Overview The regulatory data in Section 15 is not intended to be all–inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.					
WHMIS Classification	D2B					
DOT Marine Pollutants (No Product Ingre						
DOT Severe Marine Po (No Product Ingre	()					
EPCRA 311/312 Chemi	cals and RQs (>.1%) :					
Nitrous ac	id, sodium salt (100 lb	o final RQ; 45	.4 kg final RQ)			
EPCRA 302 Extremely (No Product Ingre	, ,					
EPCRA 313 Toxic Cher	nicals (>.1%) :					
Nitrous ac	id, sodium salt					
Mass RTK Substances	(>1%) :					
Titanium o	dioxide					
Mass Extraordinarily Ha	ız Sub (>.01%) :					
Ammonia						
Penn RTK Substances	(>1%) :					
Titanium o	dioxide					
Penn Special Hazardous Substances (>.01%) : (No Product Ingredients Listed)						
Rhode Island Hazardou						
Titanium o	dioxide					
RCRA Status: (No Product Ingredients Listed)						
	N.J. RTK Substances (>1%) :					
Titanium dioxide						
N.J. Special Hazardous Substances (>.01%) : (No Product Ingredients Listed)						
Ammonia	,					
N.J. Env. Hazardous Substances (>.1%) :						
Nitrous acid, sodium salt						
Proposition 65 – Carcinogens (>0%): (No Product Ingredients Listed)						
Proposition 65 – Female Repro Toxins (>0%): (No Product Ingredients Listed)						
Proposition 65 – Male F (No Product Ingre	Repro Toxins (>0%):					
Proposition 65 – Develo (No Product Ingre	opmental Toxins (>0%):					
Risk Phrases:	Ν	Not Applicable)			

Not Applicable

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.