

CLC243 INTERLAC 665 RAL2008 BTREDORANGE

4

10/24/14

1.

1.1. INTERLAC 665 RAL2008 BTREDORANGE  
CLC243

1.2.

1.3.

626-6

( 8-6 )

1.4.

055-632-6286( ),055 586 2310( )

055 587 6276( )

055 586 2310( )

055 586 2310( )

2.

2.1.

3; H226

2;H411

2.2.

11 , 12



H226

H411

[ ]:

P210 / / /

P260 / /

P262 , , .  
P273  
P280 / / /  
[ ]:  
P301+310 : /  
P303+361+353 ( ) :  
/  
P331  
P332+313 : /  
P370 :  
P378 , , , .  
P391  
[ ]:  
P403+233 가  
[ ]:  
P501 ( )

2.3. PBT ( , ) vPvB ( , )

3.

/	%	GHS	
White spirits CAS No: 0064742-82-1	20-30	1;H304 - 2;H411 3; H226	[1]
xylene CAS No: 0001330-20-7	1-2.5	3; H226 - 4;H312 - 4;H332 / 2;H315 / 2A;H319 -1 ;H336 - 1;H372	[1][2]
1-Methoxy-2-propyl acetate CAS No: 0000108-65-6	1-2.5	3; H226	[1]
Methyl ethyl ketoxime CAS No: 0000096-29-7	<1	2;H351 - 4;H312 / 1;H318 1;H317	[1]
	60-70	---	---

- 1)
- 2) 가
- 3) PBT vPvB  
16

4.

4.1.  
가

가

10

4.2. 가 /

4.3.

5. ,

5.1.

; , , , .

Note; 가

가

5.2.

가

:

5.3.

가

가

6.

6.1.

가

가

가 가

6.2.

가

6.3.

가 (13 .)

가

가

가

**7.**

**7.1.**

가

가 (LEL)

(OEL)

가

가

가 (LEL)

(OEL)

**7.2.**

( )

,8

가

1

가

**7.3. Specific end use(s)**

가

,가

.3

Hot surfaces, Sparks,

가

( 60%

)

8.

8.1.

(OEL)

(ACGIH)

(ACGIH)

ppm

mg/m<sup>3</sup>

ppm

mg/m<sup>3</sup>

Barium Sulphate

2

10

Calcium carbonate

10

xylene

150

655

100

434

(P) (Peak exposure limit)

(R)

(Sk)

(Sen)

(Cat 1)

(Cat 2)

(Cat 3)

가

**DNEL/PNEC**

8.2.

가

가

(visor)

(overall)

가

가

가

가

9.

pH / (°C) (°C) 65  
 40  
 ( = 1)  
 ( , ) / : .8 ( White spirits )  
 : 6.6 ( xylene )  
 (Pa)  
 1.16  
 n- / (Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7 ) ,

가

10.3.

가

: , , .

10.4.

.(7 .)

10.5.

: , , .

10.6.

가

:

11.

가

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
1-Methoxy-2-propyl acetate - (108-65-6)	8,532.00,	5,000.00,		
Methyl ethyl ketoxime - (96-29-7)	930.00,	2,000.00,	20.00,	
White spirits - (64742-82-1)	5,000.00,	3,160.00,		
xylene - (1330-20-7)	4,299.00,	1,548.00,		20.00,

( )		
( )		
( )		
/		
/		
(1 )		
( )		

**12.**

**12.1.** Dangerous Preparations Directive 1999/45/EC 가  
 , ( 3 )  
 가

	96 hr LC50 mg/l ,	49 hr EC50 mg/l ,	ErC50 mg/l ,
White spirits - (64742-82-1)	100.00, Fish (Piscis)	2.60, Chaetogammarus marinus	
xylene - (1330-20-7)		8.50, Palaemonetes	

	3.30, Oncorhynchus mykiss	pugio	100.00 (72 hr), Chlorococcales
1-Methoxy-2-propyl acetate - (108-65-6)	100.00, Salmo gairdneri	500.00, Daphnia magna	
Methyl ethyl ketoxime - (96-29-7)	320.00, Leuciscus idus	500.00, Daphnia magna	83.00 (72 hr), Scenedesmus subspicatus

12.2.

가 .

12.3.

12.4.

12.5.

, , 가  
PBT ( , ) vPvB ( , ) .

12.6.

13.

13.1.

가

14.

14.1.

1263

14.2.

14.3.

1263, , 3, III, 3[Y]

IMDG

Class/Div. 3

EmS

F-E,S-E

ICAO/IATA

3

14.4.

III

14.5.

:

IMDG

: ( Naphtha (petroleum), hydrodesulfurized heavy )

14.6.

가

가



15.

4 , 2 , III

MSDS 8

( )

(CMR):

Cobalt (0007440-48-4)

ethanol (0000064-17-5)

Titanium dioxide (0013463-67-7)

:

xylene (0001330-20-7)

:

xylene (0001330-20-7)

가

:

( )

:

( )

:

( )

:

( )

Group I:

( )

Group II:

Barium Sulphate (0007727-43-7)

xylene (0001330-20-7)

:

( )

( )

:

( )

16.

: 10/24/2014

: 4

: 05/13/2011

MSDS KOSHA, NITE, ESIS, NLM, SIDS, IPCS, NCIS

Section 3

Phrases

H226

H304

H312

H315

H319

H332

H336

H372

H411

**This SDS is valid for 5 years from the revised date on page 1.**



Akzo Nobel

가