

CLM60C INTERLAC 665 INTERNATIONAL ORA

4

10/25/14

1.

1.1. INTERLAC 665 INTERNATIONAL ORA  
CLM60C

1.2.

1.3.

626-6

( 8-6 )

1.4.

055-632-6286( ),055 586 2310( )  
055 587 6276( )  
055 586 2310( )  
055 586 2310( )

2.

2.1.

3; H226  
1B;H350  
1A;H360

2;H411

2.2.

11 , 12



H226  
H350  
H360  
H411

[ ]:

P201

P202

P210 / / /

P260 / /

P262 , ,

P273

P280 / / /

[ ]:

P301+310 : /

P303+361+353 ( ) :

P308+313 : /

P331

P332+313 : /

P370 :

P378 , , ,

P391

[ ]:

P403+233 가

P405 가

[ ]:

P501 ( )

2.3.

PBT ( , ) vPvB ( , )

3.

/	%	GHS	
White spirits CAS No: 0064742-82-1	20-30	1;H304 - 2;H411 3; H226	[1]
C.i. pigment red 104 CAS No: 0012656-85-8	5-10	1B;H350 1A;H360Df - 3;H373 - 1;H400 - 1;H410	[1]
xylene CAS No: 0001330-20-7	1-2.5	3; H226 - 4;H312 - 4;H332 / 2;H315 / 2A;H319 -1 ;H336 - 1;H372	[1][2]
Titanium dioxide CAS No: 0013463-67-7	1-2.5		[1][2]
Methyl ethyl ketoxime CAS No: 0000096-29-7	<1	2;H351 - 4;H312 / 1;H318 1;H317	[1]
	50-60	---	---

- 1)
- 2)
- 3) PBT                      가  
                                 vPvB  
                                 16

**4.**

**4.1.**

가

가

10

**4.2.**

가

/

**4.3.**

**5.**

**5.1.**

;

Note;

가

가

**5.2.**

가

**5.3.**

가

가

**6.**

**6.1.**

가 가 가 , 가

**6.2.**

가 .

**6.3.**

.8

, , 가 . (13 .)

가 .

가 .

, 가 , 가 . ,

**7.**

**7.1.**

가 .

, 가 (LEL) (OEL)

가 .

가 .

, 가 (LEL) (OEL)

**7.2. ( )**

: , , .

,8

가 , 1 가 .

**7.3. Specific end use(s)**

가 .

Hot surfaces, Sparks,

가 ( 60% , )

8.

8.1.

(OEL)

(ACGIH)

(ACGIH)

ppm mg/m<sup>3</sup> ppm mg/m<sup>3</sup>

Barium Sulphate

2 10

Calcium carbonate

10

Titanium dioxide

10

xylene

150 655 100 434

- (P) (Peak exposure limit)
- (R)
- (Sk)
- (Sen)
- (Cat 1)
- (Cat 2) 가
- (Cat 3)

**DNEL/PNEC**

8.2.

가

가 (visor)

(overall)

가

가

.가

가

9.

pH

/ (°C)

(°C)

65

40

( = 1)

( , )

/

: .8 ( White spirits )

: 6.6 ( xylene )

(Pa)

1.25

n-

/

(Log Kow)

9.2.

10.

10.1.

10.2.

.(Section 7 )

10.3.

가

가

10.4.

(7 .)

10.5.

10.6.

가

11.

(OEL)

가

가

가

2

	LD50, mg/kg	LD50, mg/kg	LD50, mg/L/4hr	/ LD50, mg/L/4hr
C.i. pigment red 104 - (12656-85-8)	5,000.00,			
Methyl ethyl ketoxime - (96-29-7)	930.00,	2,000.00,	20.00,	
Titanium dioxide - (13463-67-7)	10,000.00,	10,000.00,		6.82,
White spirits - (64742-82-1)	5,000.00,	3,160.00,		
xylene - (1330-20-7)	4,299.00,	1,548.00,		20.00,

( )		
( )		
( )		
/		
/		
	1B	
	1A	
(1 )		
( )		

12.

12.1.

Dangerous Preparations Directive 1999/45/EC

가  
( 3 )

가

	96 hr LC50 , mg/l	49 hr EC50 , mg/l	ErC50 , mg/l
White spirits - (64742-82-1)	100.00, Fish (Piscis)	2.60, Chaetogammarus marinus	
C.i. pigment red 104 - (12656-85-8)	2,500.00, Leuciscus idus		
xylene - (1330-20-7)	3.30, Oncorhynchus mykiss	8.50, Palaemonetes pugio	100.00 (72 hr), Chlorococcales
Titanium dioxide - (13463-67-7)	1,000.00, Fundulus heteroclitus	5.50, Daphnia magna	5.83 (72 hr), Pseudokirchneriella subcapitata
Methyl ethyl ketoxime - (96-29-7)	320.00, Leuciscus idus	500.00, Daphnia magna	83.00 (72 hr), Scenedesmus subspicatus

12.2.

가

12.3.

12.4.

12.5.

, 가  
PBT ( , ) vPvB ( , )

12.6.

13.

13.1.

가

14.

14.1.

1263

14.2.

14.3.



( )

**Group I:**

( )

**Group II:**

Barium Sulphate (0007727-43-7)

xylene (0001330-20-7)

:

( )

( )

:

( )

**16.**

: 10/25/2014

: 4

: 03/24/2006

MSDS KOSHA, NITE, ESIS, NLM, SIDS, IPCS, NCIS

SDS

**Section 3 Phrases**

- H226
- H304
- H312
- H315
- H319
- H332
- H336
- H350
- H360Df
- H372
- H373
- H400
- H410
- H411

**This SDS is valid for 5 years from the revised date on page 1.**

